## REPORT DOC\_MENTATION PAGE

AFOSR-TR-97

Public reporting burden for this collection of informal gathering and maintaining the data needed, and concollection of information, including suggestions for recollection shiphway, Suite 1204, Arlington, 7A, 22202-4302	pleting and reviewing the Chection of a proving this burgen, to Alash nation uses	adulated (	1181	1a.s rurces, pert of this 3 certerson
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AN		OVERED 31 Oct 96
4. TITLE AND SUBTITLE		TIME OF HE		NG NUMBERS
TENTH INTERNATIONAL SYMP	OSIUM ON MOLTEN SAI	LTS		620-96-1-0157
6. AUTHOR(S)				3/BS
			611	02F
Dr Richard T. Carlin				
7. PERFORMING ORGANIZATION NAME	(S) AND ADDRESS(ES)			RMING ORGANIZATION
The Electrochemical Soci 10 South Main Street Pennington NJ 08534-190	,	4.		
9. SPONSORING/MONITORING AGENCY	NAME(S) AND ADDRESS(ES	)		SORING MONITORING CY REPORT NUMBER
AFOSR/NL 110 Duncan Ave Room Bll5 Bolling AFB DC 20332-80			e verified de companya de despresa de companya de comp	
Capt Hugh C. De Long 11. SUPPLEMENTARY NOTES			1	
•				<u>.</u>
12a. DISTRIBUTION / AVAILABILITY STA	TEMENT		12b. DIS	TRIBUTION CODE
Approved for public reles	ose:			
13. ABSTRACT (Maximum 200 words)			<u> </u>	
The symposium was atte countries. Sixty-six are contained in this technological opportun with this theme, Prof. emphasized that molten in numerous technologi production of amorphou catalysis, and corrosi is derived from the furesearchers, and excel into the complexity of and spectroscopy.	papers were present proceedings volume ities in molten sal Niels J. Bjerrum is salt electrochemis cally important are metals, electrosy on. Of course, the ndamental understarlent papers were presented in the papers were papers were presented in the papers were papers wer	ted at the sympose. Much of the syllts and related rain his 1996 Max lastry has a rich peas, including attraction of supersections of supersections of molten are secured that processing of molten are secured.	sium of ymposiu materia Bredig past wi lloy el rhard me techn salts povided	which fifty-four m centered around ls. In keeping Award address th a bright future ectrodeposition, aterials, electro-ological advances rovided by numerous further insight
14. SUBJECT TERMS				15. NUMBER OF PAGES
				16. PRICE CODE
17. SECURITY CLASSIFICATION 18. OF REPORT (U)	SECURITY CLASSIFICATION OF THIS PAGE (U)	19. SECURITY CLASSIFI OF ABSTRACT (1	CATION U)	20. LIMITATION OF ABSTRACT

## Contractor's Final Report

on

### Tenth International Symposium on Molten Salts

Dr. Richard T. Carlin (P.I.)
Covalent Associates, Inc.
10 State Street
Woburn MA 01801

Contract No. F49620-96-1-0157

This Contract in the amount of \$2,000 was sponsored by:

USAF, AFMC
Air Force Office of Scientific Research
110 Duncan Avenue Suite B115
Bolling AFB DC 20332-8080

The technical monitor of this program is: Maj. Hugh C. De Long, Ph.D.

Period Covered 1 Apr 96 to 1 Aug 96

Date Submitted: 14 Nov 96

19970602 138

# **Table of Contents**

Abstract	3
Table of Contents from Proceedings Volume	
Max Bredig Award Address	9
Budget Summary	11

#### **Abstract**

The Tenth International Symposium on Molten Salts was held during the 189th Meeting of the Electrochemical Society in Los Angeles, California, May 6-10, 1996. The symposium was attended by internationally recognized speakers from sixteen countries. Sixty-six papers were presented at the symposium of which fifty-four are contained in the proceedings volume. Three copies of the proceedings volume entitled *Molten Salts X* have been sent to AFOSR to satisfy the contract requirements. The Table of Contents of the proceedings is provided on page 4 of this report.

Much of the symposium centered around technological opportunities in molten salts and related materials. In keeping with this theme, Prof. Niels J. Bjerrum in his 1996 Max Bredig Award address emphasized that molten salt electrochemistry has a rich past with a bright future in numerous technologically important areas, including alloy electrodeposition, production of amorphous metals, electrosynthesis of superhard materials, electrocatalysis, and corrosion. Of course, the basis for these technological advances is derived from the fundamental understanding of molten salts provided by numerous researchers, and excellent papers were presented that provided further insight into the complexity of molten salt thermodynamics, transport properties, structure, and spectroscopy. A summary of the Max Bredig Award address is provided on page 9 of this report.

Financial support for this symposium came from several generous sources, including the Air Force Office of Scientific Research, the Physical Electrochemistry and High Temperature Materials Divisions of the Society, the Molten Salt Committee of the Electrochemical Society of Japan, and The Petroleum Research Fund, administered by the American Chemical Society. Funds from AFOSR (\$2,000) were used to supplement travel expenses for US and international distinguished speakers.

# Table of Contents from Proceedings Volume

# Max Bredig Award

Molten Salt Electrochemistry: Present and Future Priorities  N. J. Bjerrum	1
Opening Session: A Dedication to Gleb Mamantov	
Minimizing Fouling and Corrosion by Ionic Liquids Formed in the Combustion of Bi M. Blander	
Vibrational Modes and Structure of Rare Earth Fluorides and Bromides in Binary Me KX (X=F, Br; Ln=Y, La Ce, Nd, Sm, Gd, Dy, Yb)	lts: LnX <sub>3</sub> -
B. Borresen, V. Dracopoulos, G. Photiadis, B. Gilbert, and G. N. Papatheordorou	11
Effects of Hydrophobic Interaction in <i>n</i> -Alkanecarboxylate Hydrate Melt S. Deki, H. Nakahara, J. Kondo, and A. Kanjinami	28
Electrodeposition of Cobalt-Aluminum Alloys from the Aluminum Chloride-1-Methylimidazolium Chloride Room-Temperature Molten Salt C. L. Hussey, J. A. Mitchell, W. R. Pitner, and G. R. Stafford	
Near Infrared Spectroscopy of Anionic Conducting Polymer Membranes D. S. Newman, G. Bi, D. L. Snavely, J. Dubsky, F. Zamborini, and T. S. Cina	53
Electrochemical Reactions of Nitrogen in Molten Chloride System Y. Ito, M. Tada, and T. Goto	62
Catalysis and Acid-Base Chemistry	
Nonaqueous Room-Temperature Ionic Liquids: A New Class of Solvents for Catalyt Reactions	ic Organic
H. Olivier and Y. Chauvin	70
Physico-Chemical and Structural Properties of DeNO <sub>x</sub> and SO <sub>2</sub> Oxidation Catalysts S. G. Masters, C. Oehlers, K. Nielsen, K. M. Eriksen, R. Fehrmann, A. Chrissanthopoulos, and S. Boghosian	74

Acidity of HCl in Neutral Buffered Chloroaluminate Molten Salts  D. King and R. A. Osteryoung80
Molten Salt and Related Acids K. E. Johnson, W. D. Chandler, and B. D. Fahlman92
Gutmann Acceptor Properties of LiCl, NaCl, and KCl Buffered Ambient-Temperature Chloroaluminate Liquids R. A. Mantz, P. C. Trulove, R. T. Carlin, and R. A. Osteryoung104
Electrochemical Studies of Acyl Halide Reduction in a Room-Temperature Molten Salt G. T. Cheek116
A Study of Binary Molten Pyridinium Salts A. M. Elias, M. E. Elias, and A. J. S. Carmo
Measuring the Rates of Solid State Reactions Between AlCl <sub>3</sub> and C <sub>5</sub> H <sub>6</sub> NCI Using Differential Scanning Calorimetry  D. S. Newman, J. Rosinski, and K. S. Leis
Effect of Alkali Metal Fluoride on Anodic Reaction in a Molten NH <sub>4</sub> F-HF System A. Tasaka, T. Kawagoe, and T. Osada144
Spectroscopic Investigation of Effect of Lewis Basicity on the Valent-State of an Uranium (V) Chloride Complex in Ambient Temperature Melts S. Dai, L. M. Toth, G. D. Del Cul, G. R. Hayes, and J. R. Peterson
Metals and Alloys
Electrodeposition of Magnesium from Halide Melts B. Børresen, G. M. Haarberg, R. Tunold, A. Kisza, and J. Kazmierczak157
Effect of Additives on Ti Elecctrorefining in Molten Chloride T. Takenaka, A. Sugimoto, Y. Mitani, and M. Kawakami
Cathodic Behavior of the Deposition of Nb and Al in NaCl-AlCl <sub>3</sub> Melt Y. Sato, K. Iwabuchi, N. Kawaguchi, H. Zhu, M. Endo, T. Yamamura, and S. Saito
Electrochemical Properties of Nb <sub>3</sub> Cl <sub>8</sub> in the MgCl <sub>2</sub> -NaCl Eutectic at 471°C M. Mohamedi, N. Kawaguchi, Y. Sato, and T. Yamamura189
Demonstration Experiment of Uranium Metal Production System

T. Suzuki, T. Sakata, H. Tsuchiya, K. Ota, Y. Takasawa, N. Teramae, S. Yamagami, and K. Endo204
A Study of Production Process of Uranium Metal by Molten Salt Electrolysis Using Zinc Cathode - A Study of Uranium Chloride Production Step H. Tsuchiya, T. Sakata, T. Suzuki, J. Takahashi, T. Fukamachi, Y. Kijima, and K. Toyabe
Corrosion Behavior of Materials Used in Uranium Metal Production Y. Hoshino, K. Ota, S. Yamagami, K. Endo, H. Tsuchiya, T. Sakata, and T. Suzuki
Development of Transuranium Elements Recovery from High-Level Radioactive Liquid Waste Y. Akai and R. Fujita
Characteristics of Cathodic Reactions in BaCl <sub>2</sub> -NaCl Melts Containing AlF <sub>3</sub> Components M. Ueda, S. Konda, T. Sasaki, and T. Ishikawa236
Electrochemical Behavior of Glassy Carbon and Some Metals in a ZnCl <sub>2</sub> -NaCl Melt Y. Okano and A. Katagiri
A New Experimental Approach to Measure Electrical Conductivity of Molten Fluoride Electrolytes X. Wang and R. D. Peterson
Titration of Refractory Metal Compounds in Molten Salts by Square Wave Voltammetry P. Chamelot, B. Lafage, and P. Taxil
EQCM Studies of Aluminum and Aluminum Alloys in Room Temperature Molten Salts H. C. De Long and P. C. Trulove
EQCM Measurements of Cobalt-Aluminum Alloys H. C. De Long and R. T. Carlin
Electrodeposition and Nucleation of Lead from Chloride Melts T. Støre, G. M. Haarberg, T. E. Jentoftsen, and R. Tunold
High Temperature Electrochemical Synthesis of Zirconium Diboride from Chloro-Fluoride Melts V. P. Lugovoi, S. V. Deviatkin, G. Kaptay, and S. A. Kuznetsov303
High Temperature Interaction of Boron Oxide with Aluminum Fluoride S. V. Deviatkin, K. I Arsenin, and G. Kaptay312

Hydrogen Absorption Property  M. Okido, R. Ichino, and R. Tamura
Elimination of Primary Silicon Phase in Hyper-Eutectic Al-Si Alloy by Molten Salt Process T. Inoue, H. Kanematsu, Y. Kunieda, S. Hayashi, and T. Oki
Batteries
Modification of LiCl-LiBr-KBr Electrolyte for LiAl/FeS <sub>2</sub> Batteries T. D. Kaun, A. N. Jansen, G. L. Henriksen, and D. R. Vissers342
Polarization Phenomena at β"-Alumina/Molten Salt Interface M. Matsunaga, K. Minamoto, and M. Morimitsu
Rechargeable Alkali Metal and Li-Al Alloy Anodes in Ionic Liquid Electrolytes  R. T. Carlin and J. Fuller
Morphology of Lithium and Sodium Electrodeposits in Room-Temperature Molten Salts  J. Fuller and R. T. Carlin
Electrochemistry of Vanadium Oxides in Room Temperature Molten Salt Electrolytes D. M. Ryan and T. L. Riechel
Fuel Cells
The Role of Melt Chemistry in Molten Carbonate Fuel Cell (MCFC) Technology  J. R. Selman and M. S. Yazici
Mass Transfer and Steady State Comcentration Distributions of Binary Electrolytes and Additives in MCFCs  Th. Brenscheidt, O. Böhme, and H. Wendt
High Temperature Corrosion of Tantalum with the Presence of Molten Carbonate K. Ota, K. Toda, T. Kojima, N. Motohira, and No. Kamiya406
High Temperature Corrosion of Separator Material in Li <sub>2</sub> CO <sub>3</sub> - Na <sub>2</sub> CO <sub>3</sub> and Electrolyte Consumption for MCFC  M. Yanagida, K. Tanimoto, T. Kojima, Y. Tamiya, T. Asai, and Y. Miyazaki

Electrochemical Response of Stainless Steel 310, 316L and Nickel-Rich Alloy in Molten Carbonate	
M. S. Yazici and J. R. Selman	422
Thermodynamics, Transport Properties, Structure, and Spectros	сору
Thermochemistry, Physico-Chemical Properties and Modeling of the Liquid MX (M = alkali, Ln = rare-earth, X = halide)  M. Gaune-Escard	
Electron Mobilities in Solutions of Alkali Metals in Molten Alkali Halides G. M. Haarberg and J. J. Egan	468
Application of Thermodynamic Databases to Calculation for Surface Tension of Mixtures  T. Tanaka and S. Hara	
Copper Deposition from Cu(I) Ions in CuCl-BPC Molten Salts - Microstructural Melts  N. Koura, N. Tanabe, S. Seiki, S. Takahashi, ML. Saboungi, L. A. Curtiss, and K. Suzuya	
Ionic Dissociation Model for (Li, K)X Binary Melts (X=F, Cl, Br or I) P. Hebant and G. S. Picard	500
Anomalous Behavior of Ag(I) and Tl(I) Ions in Mobilities of Molten Nitrates  I. Okada and P. Chou	511
New Development of Fiberoptic Raman Spectroscopic Probes for High Tempera Salts S. Dai, H. M. Xiao, Y. H. Lee, and J. P. Young	
Raman Spectroscopic and Electrochemical Studies of Tungsten Species in Alkali Chloride Melts G. Carountzos, C. Hasiotis, and C. G. Kontoyannis	530
Local Structure of K <sub>2</sub> O-SiO <sub>2</sub> Glasses and Melts N. Umesaki, K. Handa, N. Ohtori, and N. Kamijo	541
Author Index	561
Subject Index	563

#### **Max Bredig Award Address**

# MOLTEN SALT ELECTROCHEMISTRY: PRESENT AND FUTURE PRIORITIES

#### Niels J. Bjerrum

Materials Science Group, Chemistry Department A, Technical University of Denmark, DK-2800 Lyngby, Denmark

Molten salt electrochemistry is by no means a new research area. Some of the initial experiments go back two hundred years in history (e.g., electroreduction of alkali metals) and such an important metal as aluminum has been produced for more than hundred years by an electrolysis of a molten salt electrolyte (the Hall-Héroult process).

However, molten salt electrochemistry is a very dynamic scientific and industrial area of electrochemistry looking not into the past but into the future.

There are numerous important technical areas in molten salt electrochemistry. In some of these areas enough knowledge have been accumulated to develop qualitative improvement and often parameter optimization:

- (i) Electrochemical production of metals is one of the most mature areas. In connection with aluminum production the main aim of developments is to obtain a higher efficiency of the process and to solve serious ecological problems.
- (ii) Electroplating of protective layers on metal surfaces. The recent developments are mostly concerned with the electrodeposition of refractory metals from molten salt electrolytes. The most important problem in this technology is control of the composition of the molten electrolytes. Another problem with refractory metal electroplating can be illustrated with the help of the example of tantalum deposition. Two different crystal forms of tantalum can be obtained electrochemically:  $\infty$  and  $\beta$ -tantalum. The deposit with the  $\infty$ -form has better mechanical properties than that consisting of the  $\beta$ -form. Therefore, the problem of the optimization of the electrolysis parameters has to be solved with allowance for this special factor.

However, the most interesting scientific results and applications are expected in the new areas of molten salt electrochemistry:

(iii) Metal alloy production is an area with a considerable potential. This technique gives a possibility to obtain, for example, the alloys of aluminum with lithium (metals with high and low melting points), or in general alloys which are difficult to make by a direct combination.

- (iv) Electrodeposition of amorphous metal layers is a technique which can be realized in molten salt electrolytes and may be the background for progressive technologies for the production of highly corrosion resistant materials.
- (v) Electrosynthesis of superhard materials. Many such materials can be obtained electrochemically from boron-, carbon- or nitrogen-containing melts. This could be a relatively cheap technology giving a useful modification of metal surfaces. To the same area we can add the high temperature electrochemical technologies for the improvement of surface properties of superhard materials with electroplated metal layers.
- (vi) High-temperature electrocatalysis is a process in which material is consumed or produced in an electrochemical reaction on a catalyst that is an electronic conductor. Obviously, the currently most interesting and important cases in this area are the molten carbonate fuel cells. The main problem here is to obtain non-soluble and catalytically active electrode materials.
- (vii) Electrochemical promotion of catalysts deals with the change of activity or selectivity of molten salt catalysts using inert electrodes. It can provide an effective management concerning quality and composition of the products of the catalytic reactions.
- (viii) Hot corrosion has the possibility of becoming a very important area of molten salt electrochemistry taking into account the perspective of combustion of new types of fuels or traditional but low quality fuels. It has been proven that the most severe hot corrosion problems are caused by a thin molten salt layer on the surface of the exposed metal and therefore have an electrochemical nature. Another example where hot corrosion is important is provided by high-temperature batteries and molten carbonate fuel cells. Electrochemical techniques can be powerful tools in searching for new ways of corrosion protection.
- (ix) High-temperature electrochemical protection from corrosion. Cathodic and anodic protection are well known and widely used at ambient temperatures but have not to any extent been used in connection with hot (or molten salt) corrosion. For example, in connection with fire tube corrosion in boilers at power stations electrochemical protection can be one of several possible ways of prolonging the lifetime of power-station hardware.

## **Budget Summary**

Contract No. F49620-96-1-0157; Tenth International Symposium on Molten Salts

AFOSR Contract Award: \$2,000

Allocation of AFOSR Funds for Symposium:

**Travel Supplement:** 

US Invited Speakers (2):

\$640

International Invited Speakers (3):

\$900

Advance Registration:

US Invited Speakers (2):

\$460

Total AFOSR Expenditures

\$2,000